

BizFAX- Business Standalone FAX Server

BizFAX Client is a virtual fax extension that works with BizFAX Server. Not only receive fax automatically and save it as electronic file, but also make outbound call manually and automatically to send a fax.

BizFAX contains a BizFAX Printer module and a BizFAX Editor module. BizFAX Printer can easily convert documents as doc, xls or pdf to tiff format; BizFAX Editor helps user to dramatically improve the efficiency in doing office works like make annotations, signature and stamp on a document.

BizFAX family consist of 6 models that are E100, E200, S400, S800 and M1600, M3000(E1). BizFAX can easily meet the unique requirements of different sizes of companies.

According to the survey of existing BizFAX Standalone Fax Server users, and compared with the traditional fax-machine, it can save 98% of the paper consumed by faxes. No need to worry about the invasion of useless advertisements. It is a one-time but affordable investment which helps realizing the relaxed, convenient, clean and efficient official working environment from then on.



No.	Identifying
①	Green Light: Indicates the power connection is normal.
②	Green Light blink: Indicates the server system is in working.
③	Green Light: Indicates the system is ready.
④	Green Light blink: Indicates the internet interface in use
⑤	Green Light: Indicates the PSTN lines connect successfully.
⑥	Green Light blink: Indicates the PSTN line in use.
⑦	Green Light: Indicates the port is work well.
⑧	Green Light blink: Indicates the FAX machine in use.

2) Back Side


No.	Identifying
①	Eth: To connect to the LAN
②	Line: To Connect to the Fax Line
③	Phone: If you have an analog fax machine, connect it to the port. You can also send and receive fax by the analog fax machine. It could be used as a scan machine and a printer.
④	Reset: Press it to restore to factory setting
⑤	Power: Connect the power adapter to this port.

Model	FAX Line(FXO Ports)	Users (default)	Weight
BizFAX E100	1	25	0.5kg (Gross)
BizFAX E200	2	50	0.5kg (Gross)

Basic Specifications

Size	193*153*30 mm	Client Software OS	Win 2000/XP/Vista/7
Fax Rate	14.4k~2.4k	LAN protocol	TCP/IP
Code compress mode	MH/MR/MMR	Fax Agreement	ITU-T G3 T.4
Caller ID	Support FSK / DTMF	Storage Capacity	About 15000 pages
Server support	WEB UI/Client Software	Language	Chinese Traditional/ Chinese Simplified/ English/Hebrew/ Portuguese
Power	Input: 100-240V 0.5-1A 50/60HZ Output: 12V 1A	Maximum Power	12 W

Running Environment	+10~35℃	Humidity	20~80% rh
Network	10M/100M/1000M Ethernet	Remote Service	Support
Fax Line Interface	RJ-11	Network Interface	RJ-45
Client Software Upgrade	Free	Import Outlook Contacts	Support
Fallback when power down	Support	Receive fax even shun down computer	Support
Fax Resolution	200/200 DPI	Fax Encryption	Support
Fax to E-Mail	Support	Auto Receive Fax	Support
Auto Send Fax	Support	Auto dispatch Fax	Support
Group Send Function	Support	Internal Transfer Fax	Support
Resend Failed Faxes	Support	Send Fax at Certain Time	Support
Status Monitor	Support	Fax Reminder	Support
Fax Archiving	Support	Fax Revising & Transmitting	Support
Link of the fax-machine	Support	Custom Voice Prompts	Support
Identity Authentication & Password	Support	View & Edit Fax	Support
Print Out Fax	Support	Electronic Seal & Signature	Support
BizFAX Server Management	Support	Digits of extension	Customizable
User Management	Support	Fax Log Management	Support
Fax Queue Management	Support	Contacts Management	Support
Memory Capacity for contacts	Unlimited	Fax Monitor	Support
Printer Server	Support	Fax Router	DTMF, CID, Port
Lightning Proof	Support	Compatible Line	PSTN (FXO)